

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L26	29	((gas) and (electrode\$1) and 25 and 20).clm.	US-PGPUB	OR	ON	2009/05/19 16:04
L25	1467174	(seal sealing o-ring sealer frictionally)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 16:04
L24	29	((gas) and (electrode\$1) and 7 and 20).clm.	US-PGPUB	OR	ON	2009/05/19 16:04
L23	21	22 and adjustable	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 15:31
L22	76	21 and 6	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 15:31
L21	304	15 and 20	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 15:30
L20	356951	(sheath covering tube overtube nozzle) with (displaceable movable displacement movement adjustable retractable slidable slid)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 15:30
L19	59	17 and 18	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 15:22
L18	879192	(conductive)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 15:22
L17	72	16 and 8	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 15:10
L16	263	15 and 6	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 15:10
L15	1152	606/45.ocls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 15:10

L14	3	13 and 6	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 15:10
L13	89	606/44.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 15:09
L12	177	11 and 5	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 14:59
L11	6630	10 and 7	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 14:59
L10	13050	6 and 8	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 14:59
L9	94045	6 and 7	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 14:59
L8	321911	(sheath covering tube overtube nozzle) with (displaceable movable displacement movement retractable slidable slid)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 14:59
L7	1326121	(seal sealing o-ring sealer)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 14:57
L6	320929	(gas) and (electrode \$1)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/19 14:57
L5	3689	606/41.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/19 14:56
L4	30	3 and gas	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/19 13:59

L3	70	("1731627" "1952617" "2011169" "2022065" "2047535" "2688329" "3799168" "3825004" "3828780" "3834392" "3858586" "3902494" "3906955" "4016881" "4040426" "4057064" "4060088" "4245624" "4347842" "4562838" "4650462" "4706655" "4735603" "4740047" "4760840" "4781175" "4836187" "4878893" "4882777" "4901719" "4901720" "4919129" "4920980" "4943290" "4949706" "4998527" "5006109" "5013294" "5041110" "5084012" "5088997" "5098430" "5109830" "5207675" "5256138" "5304176").PN. OR ("5449356").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/19 13:58
L2	50	1 and (gas)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/19 13:47

L1	104	("2618267" "2708933" "2828747" "3434476" "3562486" "4040426" "4060088" "4562838" "4719914" "4781175" "4901719" "4911159").PN. OR ("5098430").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/19 13:21
----	-----	--	------------------------------	----	-----	---------------------

5/ 19/ 2009 4:44:23 PM

C:\Documents and Settings\vchen2\My Documents\EAST\Workspaces\ Searches
\ 10525802 applicator for an electrosurgical instrument.wsp